



**DERBYSHIRE DALES  
PLAYING PITCH ACTION PLAN**

**JANUARY 2019 REFRESH**

## SUMMARY

This action plan refresh was undertaken by members of the initial Strategy Project Team, including Derbyshire Dales District Council, Sport England, Active Derbyshire and various National Governing Bodies of Sport.

The Strategy Project Team approved the refresh as a true reflection of the current position and approved this action plan for immediate release.

## NORTH ANALYSIS AREA

### Area summary

Sport	Analysis area	Current picture	Future demand (2033) <sup>1</sup>
Football (grass pitches)	North	Shortfall of 1 adult match session.	Shortfall of 1 adult match session.
Football (3G pitches for training) <sup>2</sup>	North	In order to satisfy current and future football training demand, there is a need for at least two full size 3G pitches, meaning a shortfall of at least one full size 3G pitch.	
Cricket	North	Current demand is being met	Future demand can be met
Rugby union	North	Current demand is being met (at capacity)	Future demand can be met (at capacity)
Hockey (Sand AGPs)	Derbyshire Dales	Current demand is being met and if community use can be established at S. Anselm's School on the new AGP (due for completion summer 2017) this will meet future demand.	
Tennis	Derbyshire Dales	Current and future demand is being met.	
Bowls	Derbyshire Dales	Current and future demand is being met.	
Croquet	Derbyshire Dales	Current and future demand is being met.	

<sup>1</sup> Future demand based on ONS calculations and club consultation which also includes latent and displaced demand identified.

<sup>2</sup> Based on accommodating 42 teams to one full size pitch for training.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>3</sup>	Timescales	Aim
1	Abbotsholme School	Football	School	Three adult 11v11 pitches, all rated at good quality. No community use on site and therefore only used for curricular and extracurricular sport.	Continue to sustain quality for curricular and extracurricular activity. Should demand increase; look to explore community use to fully determine availability.	School FA Council	Local site	L	L	Protect
		Rugby union		Three senior pitches all rated as good quality (M2/D1). Pitches do not have floodlighting. No community use on site and therefore only used for curricular and extracurricular sport.	Continue to sustain quality for curricular and extracurricular activity. Should demand increase; look to explore community use to fully determine availability.	School RFU Council		L	L	
		Cricket		One cricket pitch with eight pitches rated as good quality with no community use.	Continue to sustain quality for curricular and extracurricular activity. Should demand increase; look to explore community use to fully determine availability.	School DCB Council		L	L	
		Hockey		One 90 x 60 sand dressed AGP. Built in 2015 and rated as good quality. No community use on site and therefore only used for curricular and extracurricular sport.	Continue to sustain quality for curricular and extracurricular activity. Should clubs in study area realise growth aspirations; look to explore community use to fully determine availability.	School EH Council		L	L	
		Tennis		Four macadam, floodlit tennis courts rated as good quality. No community use on site and therefore only used for curricular and extracurricular sport.	Continue to sustain quality for curricular and extracurricular activity.	School LTA Council		L	L	
2	Alport Lane Recreation Ground (Queen Elizabeth II Playing Fields)	Football	Parish Council	One adult 11v11 pitch of standard quality. Owned by Fields in Trust and leased to Youlgreave Parish Council on 99 years. Used by Youlgreave United. Parish Council report drainage of the pitch is good. Minimal peak time capacity discounted to help protect quality. Slight over mark with cricket pitch outfield.	Look to improve pitch quality through improved maintenance regimes. Improving quality will increase pitch capacity and in turn make the potential spare capacity into actual spare capacity. This may alleviate some overplay at one of the overplayed sites in the North Analysis Area.	Parish Council Fields in Trust FA Council	Local site	M	S	Protect Enhance Provide
		Cricket		One square with eight pitches, rated as standard quality. Pitch used by Youlgreave Lodge CC. Currently has no spare capacity at peak time. However, does have spare capacity out of peak time.	Look to improve pitch quality through improved maintenance regimes. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays. Explore options of mobile cage on site for clubs training needs.	Parish council DCCB Council		M/H	S	
		Tennis		On macadam tennis court of poor quality. No floodlighting.	Look to improve quality of court through improved maintenance regimes.	Parish Council LTA Council		M	S	
		Bowls		One good quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Parish Council Council		L	L	

<sup>3</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>4</sup>	Timescales	Aim		
5	Baslow Sports Field	Football	Trust	One adult, one mini 7v7 and one mini 5v5 pitch. Adult pitch rated as good quality and both mini pitches rated as standard. Pitches used by Baslow FC and Baslow and Longstone Junior FC. All three pitches do have actual spare capacity. The adult pitch has an additional 0.5 match equivalent sessions, the mini 7v7 has one match equivalent session and the mini 5v5 pitch has two match equivalent sessions.	Sustain pitch quality and maximise use in particular on mini pitches. New drainage and pitch maintenance scheme developed. PIP visit and report completed on 17/05/18  Improvements works planned to pavilion building inc changing rooms, club room and first floor 'training room'	Trust Council FA	Key Centre	L	L	Protect Enhance		
		Cricket		One square with 11 wickets, rated as standard quality. Currently used by Baslow CC. No spare capacity at peak time; however, does have spare capacity during non-peak time. There is a pending planning application for a 'Woodland Park' (App Ref: 0117/0031) on land to the south of the Sports Field, being dealt with by the Peak Park Planning Authority. There is a current Sport England objection pending further/amended details including ball strike assessment and proposed mitigation, including, for example, ball stop netting.	Look to improve pitch quality through improved maintenance regimes. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls' cricket midweek and women's cricket on Sundays.  Support progress of Woodland Park project			Trust DCCB Council	M		S	
		AGP		One sand dressed small sized AGP. Used for football and as overspill area for Baslow Tennis Club. Well used pitch.	Retain as a multi sports surface for both football and tennis. Ensure quality is sufficient for usage. Can act as extra court for Baslow Tennis Club which is currently over capacity with its two floodlit courts. Support trust in developing a sinking fund for pitch.				Trust FA LTA Council		H	L
		Tennis		Two good quality, floodlit courts. Courts are sand dressed and used by Baslow Tennis Club. Courts are currently running above capacity, with 230 members. Club also wishes to expand further.	Sustain court quality in order to accommodate demand. Consider using AGP on site as an additional court. Support Baslow Sports Field Trust in considering options to expand and improve its facilities; both courts and ancillary facilities.						Trust LTA Council	L/H
7	Bradwell Sports and Social Club	Football	Sports Association	One adult pitch rated as good quality. Pitch currently used by a senior team, two youth teams and a mini team from Bradwell Sports FC. No peak time capacity and no additional use is recommended due to over marking.	Sustain pitch quality in order to continue to meet demand.	Sports Association FA Council	Local site			L		L
		Bowls		One good quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.			Sports association Council		L		S

<sup>4</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>5</sup>	Timescales	Aim
11	Bridge Playing Field	Football	Community Association	Two adult pitches rated as good quality. Managed by Grindleford Playing Fields Association. Used by Grindleford FC, one adult and two mini/youth teams. Pitches currently have actual spare capacity of one match equivalent session. Ancillary facilities at the site are assessed as being poor quality.	Sustain pitch quality and maximise use should demand arise. Look to support community association and Club using site, to obtain funding for improvement of ancillary facilities. In order to achieve this, a partnership between the Club and community association be could be explored.	Community Association FA Council	Local site	L/H	L	Protect Enhance Provide
		Cricket		One square with eight pitches, rated as standard quality. Pitch slightly overlaps football pitch. Pitch currently used by Grindleford CC but has capacity of one match equivalent session per week. Also has capacity out of peak time.	Look to improve pitch quality through improved maintenance regimes and maximise use should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.			Community association DCCB Council	M	
21	Eyam Sports Field	Football	Sports Association	One adult sized pitch rated as good quality. Used by Eyam FC, youth and mini teams, playing across the adult pitch. Also some use from Eyam school. Pitch currently at capacity. Ancillary facilities at the site are identified as being poor quality.	Sustain pitch quality in order to continue to meet demand. Look to support sports association and Club using site, to obtain funding for improvement of ancillary facilities. In order to achieve this, a partnership between the Club and sports association could be explored.	Sports Association Council FA	Key Centre	L/H	L	Protect Enhance
		AGP		A small sized AGP with floodlighting, rated as standard quality. Has exceeded recommended guidance of ten year carpet life. No sinking fund in place for pitch refurbishment.	Identify funding opportunities for future replacement/upgrading. Utilise Sport England/NGB guidance on choosing the correct surface: <a href="http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf">http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf</a>			H	M	
		Cricket		One square with six pitches of standard quality. Currently no club use and has one additional match equivalent session per week available at peak time. Also has capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Sports association DCCB Council		M	S	
		Tennis		One standard quality court with no floodlighting.	Look to improve court quality through improved maintenance regimes. Look to consider pay and play options.	Sports association LTA Council		M	S	

<sup>5</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>6</sup>	Timescales	Aim
23	Great Longstone Recreation Ground	Football	Parish Council	One youth 9v9 pitch which is rated as poor quality. Used by Baslow & Longstone JFC U12 teams and played to capacity due to poor quality.	Look to improve quality of pitch through improved maintenance regimes to increase pitch capacity.	Parish Council FA Council	Local site	M	S	Protect Enhance
				PIP improvement visit took place during November 2018 – awaiting report	Support the implementation of PIP recommendations where possible					
		Cricket		One square with ten pitches rated as standard. Great Longstone CC currently using site. Additional spare capacity of 0.5 match equivalent sessions per week. Also has spare capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Parish Council DCCB Council		M	S	
	Tennis	One poor quality macadam court with no floodlighting.	Look to improve court quality through improved maintenance regimes to encourage more use. Explore options of pay and play and promoting use of courts.	Parish Council LTA Council	M	S				
24	Hathersage Cricket Club	Cricket	Club	One square with ten pitches of standard quality. Currently used by Hathersage CC and has spare capacity of 0.5 match equivalent sessions per week during peak time. Also has spare capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays. Explore options to provide club with additional grass or NTP pitch as well as practice nets to meet clubs training needs.	Club DCCB Council	Local site	H	S	Protect Enhance

<sup>6</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>7</sup>	Timescales	Aim
33	Lady Manners School	Football	School	One adult pitch, one youth 11v11 pitch and one 9v9 pitch all of which are rated as standard quality. According to the School, the pitches are available for community use; however, there are no current users. At capacity due to school use.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity and seek to establish community use. Link to potential transfer of use from Bakewell Recreation Ground.	School FA Council	Key Centre	M	S	Protect Enhance Provide
		Rugby union		Two senior pitches rated as standard quality (M1/D1) and two junior pitches rated as poor (M1/D0). Two senior pitches used by Bakewell Mannerians RFC two senior teams (Saturday AM) plus used for junior and mini training/matches on Sunday AM. Pitches are also used by school as part of PE curriculum and for school matches. There is also no secure tenure on the site for the Club. The pitches are at least played to capacity if not overplayed. Two junior pitches have no club use; however, site is used weekly by school as part of PE curriculum and for school matches. Despite having potential capacity, taking into account school use and lack of secure tenure, the pitches are recorded as being at capacity.	Look to improve quality of pitch through improved maintenance regimes to increase pitch capacity and see them able to meet current and future demand.  Continue to support Bakewell Mannerians to use school site until new pitches on Shutts lane are completed	School RFU Council		H	S/M	
		Cricket		One cricket pitch rated as standard quality with no community use.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity and sustain curricular and extracurricular use.	School DCCB Council		M	S	
		Tennis		Site has three good quality macadam courts with floodlighting and four poor quality macadam courts without any floodlighting. Unavailable for community use.	Look to improve quality of poor courts through improved maintenance regimes to accommodate curricular and extracurricular activities. Look to sustain quality of good quality courts to accommodate curricular and extracurricular activity. Explore options of pay and play on floodlit courts.	School LTA Council		M/H	S/L	
		AGP		Planning permission was granted at Lady Manners School in April 2016 for refurbishment of the Redgra pitch to a full size sand based AGP with fencing, floodlighting, storage container and associated features. The School plans to sell off a small grass area in order to fund this; however, some external funding would also be required.	New AGP provision at S. Anselm's School is likely to affect proposals for a further hockey AGP at Lady Manners School depending upon levels of community use. As an alternative, explore opportunities for a 3G pitch to meet identified shortfall across the District.	School EH Council		S	H	
	Shutts Lane	Rugby Union	Sports Club	Planning permission secured for development of two pitches, mini/training area and welfare building S.106 arrangement in place for £50k contribution from developer	Support Bakewell Mannerians to secure funding for this project.	Sports Club RFU Council PNPA	Local site	M	S/M	<b>Provide</b>
34	Leadmill Ground	Football	Sports club	One adult pitch rated as standard quality. Pitch currently used by Hathersage FC and Hathersage JFC and is heavily used by youth teams. As a	Eliminate overplay by improving quality of pitches through better maintenance regimes.	Sports Club FA Council	Local site	M	S	Protect Enhance

<sup>7</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

## DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>7</sup>	Timescales	Aim
				result, pitch currently overplayed by 2.5 match equivalent sessions.	Alternatively, could look to move matches to a site with capacity.					



**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>8</sup>	Timescales	Aim	
41	Bakewell Recreation Ground	Football	District Council	Two adult pitches and one mini 5v5 pitch. All three pitches are rated as poor quality. Adult pitch used by Bakewell FC and Bakewell JFC as well as a few youth teams. Overplayed by one match session. The 5v5 pitch is used by Bakewell JFC and has peak time capacity to accommodate one team; however, this is discounted due to poor quality. No further play recommended on either pitch due to quality. Site has significant informal use due to events such as the Carnival being held on the site. Ancillary facilities at the site are identified as being poor quality however plans are emerging to improve where possible.	Look to improve quality of pitches through improved maintenance regimes. Look to establish a working group with the Club. Link to future potential community use of Lady Manners School.  Further progress opportunities to improve ancillary facilities on site including additional storage for equipment	Council FA Sports Club	Hub	H	S	Protect Enhance Provide	
		Cricket		One square with 12 pitches of standard quality. Currently used by Bakewell CC. Has capacity at peak time of 0.5 match equivalent sessions. Also has capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise. Support delivery of ECB's All Stars programme at Bakewell Recreation Ground.			Council DCCB	M		S
		Tennis		Two poor quality macadam courts with no floodlighting. Are available for community use.	Look to improve quality of courts through improved maintenance regimes to encourage more use. Explore options of pay and play and promoting use of courts. Explore potential of providing floodlighting on courts. As part of continuing development of site, explore options of access to ancillary provision for court users.			Council LTA	M/H		S/M
		Croquet		Two full sized croquet lawns rated as standard quality, used by Bakewell Croquet Club. Has some spare capacity and can accommodate future growth.	Improve current levels of maintenance to ensure lawn quality. Consider options to increase pay and play opportunities.			Council	M		S
43	S. Anselm's School	Football	School	Two adult pitches of standard quality. No availability at peak time as unavailable for community use.  One sand dressed astro pitch built in 2017. Community use for evenings and weekends secure through S.106 agreement	Look to improve quality through improved maintenance regimes and drainage for curricular and extracurricular activity. Should demand increase; look to explore community use to fully determine availability.  Execute community use agreement	School FA Council Sport England	Local site	M	S	Protect Enhance	
		Rugby union		One junior and one mini pitch rated as good quality (M2/D1). No community use on either pitch; however, site is used weekly by school as part of PE curriculum and for school matches. Furthermore, the site has no security of tenure. Therefore pitches recorded as at capacity.	Should demand increase; look to explore community use to fully determine availability.			School RFU Council	L		S

<sup>8</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>8</sup>	Timescales	Aim
		Cricket		One cricket pitch with eight pitches rated as standard quality with no community use.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity and sustain curricular and extracurricular use.	School DCCB Council		M	S	
		Tennis		Four good quality macadam courts. No floodlighting and unavailable for community use.	Look to sustain quality of courts through improved maintenance regimes to accommodate curricular and extracurricular activities.	School LTA Council		L	S	
		AGP		Construction of a new AGP is scheduled to start in April 2017. It is believed that the AGP will be complete by the summer of 2017. Due to students living on the School site, it is likely there will be limited community use of the pitch; however, there is a possibility it will be available on Sundays. Consultation suggests that the pitch may also be accessed by England Hockey for its Development and Academy Centre training.	Look to establish community use in order to meet likely future demand for hockey in the District.	School EH Council		L	S-M	
49	The Avenue Playing Field	Football	Parish Council	Two adult pitches of poor quality. Pitches leased to Stoney Middleton FC by Stoney Middleton Parish Council. Peak time capacity to accommodate one team discounted due to poor quality. No further play recommended due to poor quality. Ancillary facilities at the site are identified as being poor quality.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity and allow for spare capacity to be utilised. Explore opportunities to improve ancillary facilities on site. Support club in looking at funding options.	Parish Council FA Council	Local site	H	S	Protect Enhance
		Tennis		One poor quality tarmac court with no floodlights. Available for community use.	Look to improve quality of courts through improved maintenance regimes to encourage more use. Explore options of pay and play and promoting use of courts.	Parish Council LTA Council		M	S	
52	The Showground	Rugby union	Private	One senior pitch and one junior pitch both rated as poor quality (M0/D0). Neither pitch has club use. Do technically have minimal spare capacity; however, due to insecure tenure, use for other activities and pitches being located on a flood plain, spare capacity is discounted.	Look to improve quality of pitches through improved maintenance regimes and retain pitches for future demand.	Private company Council RFU	Local site	M	S	Protect Enhance
54	Tideswell Sports Complex	Football	Community Association	One adult pitch rated as good quality and one youth 11v11 pitch rated as standard quality. Adult pitch used by Tideswell FC. Peak time capacity for additional use of one match equivalent session. Youth pitch also used by Tideswell FC. Minimal peak time capacity discounted to help protect quality.	Sustain adult pitch quality in order to continue to meet demand. Also explore opportunities to maximise pitch usage should demand arise. Look to improve quality of youth pitch through improved maintenance regimes to increase pitch capacity and allow for spare capacity to be utilised.	Community Association FA Council	Key Centre	M	S	Protect Enhance
		Cricket		One square with five pitches of standard quality. Currently used by Tideswell CC. Has 0.5 match equivalent sessions available at peak time. Also has capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Sports association DCCB Council		L	S	
		AGP		A small sized AGP with floodlighting, rated as standard quality. Has exceeded recommended	Identify funding opportunities for future replacement/upgrading. Utilise Sport					

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>8</sup>	Timescales	Aim
				guidance of ten year carpet life. No sinking fund in place for pitch refurbishment.	England/NGB guidance on choosing the correct surface: <a href="http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf">http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf</a>					
		Bowls		One standard quality crown green bowling green.	Improve current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Community association Council		M	S	
59	Chatsworth Gymnasium	Tennis	Private	One good quality macadam court. Not floodlit. Available for members of gym.	Look to sustain quality of courts to continue to accommodate demand.	Sports association Council	Local site	L	L	Protect
		Bowls		One good quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.			L	L	Protect
73	Chatsworth Park Cricket Ground	Cricket	Club	One square with ten pitches of standard quality. Currently used by Chatsworth CC. Does have capacity of one match equivalent session at peak time. Also has spare capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Club ECB DCCB Council	Local site	L	S	Protect Enhance
69	Bakewell Town Bowls Club	Bowls	Council	One standard quality crown green bowling green.  Club taking on some maintenance responsibilities from the District Council from September 2018	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Council	Local site	M	S	Protect
71	Hathersage Bowls Club	Bowls	Parish Council	One standard quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Parish Council Council	Local site	M	S	Protect
72	Booker Memorial Ground	Cricket	Unknown	One square with eight pitches of standard quality. Currently used by Calver CC. No spare capacity at peak time; however, does have spare capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Sports association ECB DCCB Council	Local site	L	S	Protect Enhance
76	Ashford in the Water CC	Cricket	Club	One square with eight pitches of good quality. Currently used by Ashford in the Water CC and has spare capacity of 0.5 match equivalent sessions at peak time. Also has capacity outside of peak time.	Look so sustain quality of pitches in order to meet current demand. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Ashford in the Water CC ECB DCCB Council	Local site	S	S	Protect
77	Calver & District Sports Association Football Ground	Football	Sports Association	One adult pitch and one mini 7v7 pitch. Both pitches are of poor quality. Adult pitch is used by Calver FC and played to capacity due to poor quality. Mini 7v7 pitch is used by Calver JFC and has no peak time capacity available. Ancillary facilities at the site are identified as being poor quality.	Look to improve quality of pitch through improved maintenance regimes to increase pitch capacity. Explore opportunities to improve ancillary facilities on site.	Sports Association FA Council	Local site	H	S	Protect Enhance

## DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>8</sup>	Timescales	Aim
		Tennis		Two standard quality macadam courts which are floodlit and available for community use.	Look to improve quality of courts through improved maintenance regimes to encourage more use.	Sports association LTA Council		M	S	
81	Hope Works Bowling Green	Bowls	Club	One standard quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Club Council	Local site	L	S	Protect

## DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018

### SOUTH ANALYSIS AREA

Sport	Analysis area	Current picture	Future demand (2033) <sup>9</sup>
Football (grass pitches)	South	Current demand is being met	Shortfall of 2 youth 9v9, 1.5 mini 7v7 match sessions.
Football (3G pitches for training) <sup>10</sup>	South	In order to satisfy current and future football training demand, there is a need for at least two full size 3G pitches, meaning a shortfall of at least one full size 3G pitch.	
Cricket	South	Current demand is being met	Future demand can be met
Rugby union	South	Shortfall of 2.25 match sessions	Shortfall of 2.25 match sessions
Hockey (Sand AGPs)	Derbyshire Dales	Current demand is being met and if community use can be established at S. Anselm's School on the new AGP (due for completion summer 2017) this will meet future demand.	
Tennis	Derbyshire Dales	Current and future demand is being met.	
Bowls	Derbyshire Dales	Current and future demand is being met.	
Croquet	Derbyshire Dales	Current and future demand is being met.	

<sup>9</sup> Future demand based on ONS calculations and club consultation which also includes latent and displaced demand identified.

<sup>10</sup> Based on accommodating 42 teams to one full size pitch for training.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>11</sup>	Timescales	Aim
3	Ashbourne Recreation Ground	Football	District Council	<p>Two adult 11v11 and one youth 11v11 pitches all rated as poor quality. Adult pitch used by Ashbourne FC. One adult pitch and the youth pitch are discounted due to regular flooding and subsequent drainage issues. Remaining adult pitch has minimal spare capacity; however, this is discounted to protect quality.</p> <p>Ancillary facilities at site are assessed as being poor quality.</p> <p>Ashbourne Aztecs FC (currently some displaced outside of Derbyshire Dales) is involved with a project to improve ancillary facilities on the site and is also moving some teams back here for the 2018/19 season</p> <p>See cricket recommended actions.</p> <p>Identified in LFFP as possible location for 3G facility</p>	<p>Look to improve quality of usable adult pitch through improved drainage and maintenance regimes to increase pitch capacity.</p> <p>Retain discounted adult and youth 11v11 pitches for any potential future need. Should a need be realised, any ways to make these pitches more consistently usable should be explored.</p> <p>Look to consolidate and improve changing room/ancillary provision to better service the future use of the site. Link to long term lease options for the building.</p> <p>Explore feasibility for 3G on the site</p>	Council FA Town Council Clubs	Hub	H	S	Protect Enhance Provide
		Rugby union		<p>One senior pitch with natural (adequate) drainage and low levels of maintenance, rated as poor quality (M0/D1). No floodlighting on pitch. Used by Ashbourne RFC (mainly for first and second team matches). Currently has an overplay of 0.5 match equivalent sessions per week.</p> <p>Ancillary facilities at site are assessed as being poor quality. This is further supported by views of Ashbourne RFC.</p>	<p>Look to improve pitch quality through improved maintenance regimes.</p> <p>Improving quality will increase pitch capacity and alleviate overplay.</p> <p>Possible longer term option to reconfigure this site to focus on football, if the rugby club can adequately be accommodated at (QEGS) where it is involved in a current funding bid to improve the changing facilities.</p>	Council RFU		H	S	
		Cricket		<p>One square with eight pitches rated as standard. Currently used by Ashbourne CC. No spare capacity at peak time.</p> <p>Ancillary facilities at site are assessed as being poor quality. This is further supported by views of Ashbourne CC.</p> <p>District Council and Ashbourne CC in negotiations on new licence which will include maintenance responsibilities for the square.</p> <p>Planning permission has been secured by Ashbourne Sport and Community Partnership to rebuild the Memorial Pavilion on Ashbourne Recreation Ground. This project involves Ashbourne Town Council, Ashbourne Aztecs and other local volunteers.</p> <p>Explore options of NTP for training needs of club being installed on site.</p>	<p>Look to improve pitch quality through improved maintenance regimes.</p> <p>Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.</p>	Town Council ECB DCCB Council Sport/Community Partnership		H	S	

<sup>11</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.



**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>11</sup>	Timescales	Aim
		Tennis		Two macadam tennis courts of poor quality. No floodlighting on courts.	Look to improve quality of courts through improved maintenance regimes to encourage more use. Explore options of pay and play and promoting use of courts. Explore potential of providing floodlighting on courts. As part of continuing development of site, explore options of access to ancillary provision for court users.	LTA Council		M/H	S/M	
		Bowls		One good quality crown green bowling green. Seeking replacement clubhouse and players shelter	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities. Where possible look to support club with improvement to its ancillary facilities.	Council		L	L	
8	Brailsford & Ednaston Cricket Club	Cricket	Club	One square with eight pitches rated as good quality. Currently used by Brailsford and Ednaston CC. No spare capacity at peak time. Planning application for new pavilion submitted in 2018	Sustain pitch quality in order to continue to meet demand.  Support club in search for funding for new pavilion building	Club DCCB Council	Local site			Protect
15	Clifton Cricket Club	Cricket	Club	One square with eight pitches of good quality. Site used by Clifton CC. Currently has no spare capacity at peak time. New pavilion was developed in 2017 at the site.	Sustain pitch quality in order to continue to meet demand.	Club DCCB Council	Local site	H	S/M	Protect
39	Queen Elizabeth Grammar School (QEGS)	Football	School	One adult and one youth 9v9 pitch rated as standard quality. According to the School, the pitches are available for community use; however, there are no current users. At capacity due to school use.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Community use could then be explored should demand arise.	School FA Council	Key Centre	L	L	Protect Enhance
		Rugby union		Three small size adult pitches, two rated as standard quality (M0/D1) and one rated as poor quality (M0/D0). None of the pitches have floodlights. Two pitches are used by Ashbourne RFC senior teams (Saturday AM) plus used for junior and mini training/matches on Sunday AM. Senior training does occasionally take place on these pitches but it not consistent. Pitches are also used by school as part of PE curriculum and for school matches. Pitches are overplayed by 1.75 match equivalent sessions and with additional school use is likely to be further overplayed.	Look to improve quality of pitches through improved maintenance/drainage to increase pitch capacity and meet both current and future demand through any club growth. Once quality is improved explore potential for floodlighting. Ashbourne RFC is working with the School on a proposal to develop a new changing and education facility adjacent to the astro turf pitch including securing tenure. Consider longer term reconfiguration options to also accommodate a senior pitch at the site linked to accommodating the whole club at the site.	School RFU Club Council		M-H	S-M	
		Cricket		One square with six pitches of standard quality. No community use on pitches.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity and sustain curricular and extracurricular use.	School DCCB Council		L	L	

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>11</sup>	Timescales	Aim
		Hockey		One 100 x 60 standard quality sand filled AGP. Was built in 2002. Used by Derwent Hockey Club for matches and Ashbourne hockey club for training and matches. Also used by Ashbourne Aztecs FC, Ashbourne Ladies FC and Mayfield FC for training sessions midweek.	Look into refurbishment of pitch to improve quality and protect as a hockey suitable surface. Encourage sinking funds to be put in place for long-term sustainability. Ensure security of tenure for users through a community use agreement.	School EH Council		H	M	
		Tennis		Three standard quality tarmac courts with no floodlighting. Does have community use.	Look to improve quality of courts through improved maintenance regimes to accommodate curricular and extracurricular activities, as well as community demand.	School LTA Council		M	S	
42	Sand Lane Recreation Ground	Football	Parish Council	Two adult pitches of poor quality. Used by Doveridge Juniors FC. Peak time capacity to accommodate one team discounted due to poor quality. No further play recommended due to poor quality.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Can then look to maximise pitch usage.	Parish Council FA Council	Local site	M	S	Protect Enhance
		Tennis		Two poor quality tarmac courts with no floodlighting. Used by Doveridge Tennis Club.	Work with the Club to explore funding opportunities to improve the quality of both court and changing facilities.	Parish Council LTA Council		H	S	
47	Sudbury Sports Field	Football	Parish Council	Two adult pitches rated as poor quality. Maintained by National Trust and used by Sudbury FC and played to capacity due to poor quality. Ancillary facilities at the site are identified as being poor quality.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Explore opportunities to improve ancillary facilities on site.	Parish Council FA Council	Local site	H	S	Protect Enhance
		Cricket		One square with seven pitches of poor quality. Site currently unused, therefore has spare capacity at peak time.	Retain as future provision and explore bringing back into use should demand arise.	Parish Council DCCB Council		M	L	
51	The Polo Field	Football	Private	Two adult pitches of standard quality. Used by Ashbourne FC and Ashbourne Aztecs FC (youth teams) which rent pitches from Osmaston Polo Ground Committee peak time capacity for additional use of 1.5 match equivalent sessions.	Look to improve quality of pitches through improved drainage and maintenance regimes. Also look to maximise usage should demand arise.	Private company FA Council	Local site	L	S	Protect Enhance
		Cricket		One square with eight good quality pitches. Currently used by Osmaston CC and Brailsford and Ednaston CC. No spare capacity at peak time; however, is capacity outside of peak time.	Look so sustain quality of pitches to continue to meet demand. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays. Support clubs in gaining a more secure agreement surrounding use of site.	Private company DCCB Council		L	S	
70	Ashbourne Bowls Club	Bowls	Club	One good quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Sports association Council	Local site	L	L	Protect
75	Shirley Cricket Club	Football	Parish Council	One adult pitch of poor quality. Used by Ashbourne Aztecs FC. Peak time capacity to accommodate one team but is discounted due to	Look to improve quality of pitch through improved maintenance regimes to increase pitch capacity and allow for spare capacity to be utilised.	Parish Council FA Council	Local site	H	S	Protect Enhance



**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>11</sup>	Timescales	Aim
		Cricket		poor quality. No further play recommended due to poor quality. Ancillary facilities at the site are identified as being poor quality. Has one square with six pitches of poor quality. Currently unused by any clubs.	Explore opportunities to improve ancillary facilities on site. Look to improve quality of pitch through improved maintenance regimes to increase pitch capacity and allow for spare capacity to be utilised.	Parish Council DCCB Council		M	S	
78	H.M Prison Sudbury	Football	Private	One adult pitch rates as good quality. Used by Sudbury Park FC. Peak time capacity for two more senior teams. Please note this is a Category D, open prison and as such is considered accessible; however usage would be at discretion of prison management.	Explore possible opportunities to allow additional use by community teams. However, the prison may not wish to allow access due to nature of establishment.	Prison management FA Council		L	M	Protect
79	Ashbourne Tennis Club	Tennis	Private	Site has three good quality macadam courts which are floodlit and one good quality macadam court without floodlights. Is used by Ashbourne Tennis Club.	Sustain court quality to continue to accommodate both current and future demand. Explore funding opportunities to improve the quality of changing facilities at the site.	Private company Club LTA Council	Local site	L/H	S/M	Protect Enhance
-	Waterside Park	Football	Club	Ashbourne FC has now secured the site and the priority is to develop a full-size senior pitch and associated changing accommodation in order to meet league requirements, allowing the Club to return to playing within Derbyshire Dales as it has historically had to play outside of the Town and County. In the longer term, the site has the potential to be developed in the future to provide additional pitches of different sizes and configuration, but the initial priority is to provide a location for their senior teams, which also includes their ladies team. Identified as possible future location of 3G facility	It is a high priority for Derbyshire County FA to support the Club to secure funds to develop two adult pitches in addition to a changing facility. There are further aspirations to expand the site to incorporate junior football and by doing so, creating a football hub in the town. Use PIP report completed on 17/05/18 to support applications for funding	FA Council Club	Key Centre	H	S-M	Provide

# DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018

## CENTRAL ANALYSIS AREA

Sport	Analysis area	Current picture	Future demand (2033) <sup>12</sup>
Football (grass pitches)	Central	Current demand is being met	Future demand can be met
Football (3G pitches for training) <sup>13</sup>	Central	In order to satisfy current and future football training demand, there is a need for at least two full size 3G pitches, meaning a shortfall of at least one full size 3G pitch.	
Cricket	Central	Current demand is being met	Future demand can be met
Rugby union	Central	Shortfall of 5 match sessions	Shortfall of 6 match sessions
Hockey (Sand AGPs)	Derbyshire Dales	Current demand is being met and if community use can be established at S. Anselm's School on the new AGP (due for completion summer 2017) this will meet future demand.	
Tennis	Derbyshire Dales	Current and future demand is being met.	
Bowls	Derbyshire Dales	Current and future demand is being met.	
Croquet	Derbyshire Dales	Current and future demand is being met.	

<sup>12</sup> Future demand based on ONS calculations and club consultation which also includes latent and displaced demand identified.

<sup>13</sup> Based on accommodating 42 teams to one full size pitch for training.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>14</sup>	Timescales	Aim
13	Causeway Lane (Matlock Town FC)	Football	Club	One adult pitch rated as good quality. Pitch currently used by Matlock Town FC. There are 0.5 match sessions available at peak time; however, due to standard of football the Club plays at, it may wish to preserve this capacity to retain quality.	Sustain pitch quality and maximise use should demand arise. However, pitch quality should remain a priority given level of football played at site.	Club FA Council	Local site	L	L	Protect
		Cricket		One cricket pitch rated as good quality. Used by Matlock CC and has 0.5 match equivalent sessions spare capacity at peak time. Also has capacity outside of peak time.	Sustain pitch quality and maximise use should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.			Club DCCB Council	L	
14	Cavendish Fields	Football	Sports Association	Site has three adult, five mini 5v5, five mini 7v7, two youth 11v11 and two youth 9v9 pitches, all of which are rated poor quality due to drainage issues. All pitches except the two youth 11v 11 pitches have spare capacity, of which some is available at peak time. However, due to poor quality, this spare capacity is discounted to prevent pitches becoming unplayable. Matlock Town Juniors FC has recently entered into a partnership with Cavendish Fields Sports Association which provides security of tenure for the Club. Project in development linked to local housing development to upgrade sand dressed astro to 3G surface, pitch draining project and resurface car park and access road	Look to improve quality of pitches through improved drainage and maintenance regimes to increase pitch capacity. Look to utilise partnership between club and sports association to obtain funding towards pitch and ancillary facility improvement.	Sports Association Matlock Town Juniors FC FA Council	Key Centre	M	S	Protect Enhance Provide
		AGP		A small sized sand AGP with floodlighting, rated as standard quality. Has exceeded recommended guidance of ten year carpet life. No sinking fund in place for pitch refurbishment. The site has access/car parking issues and is an isolated site to develop daytime usage.	Look to secure funds to deliver drainage and car park upgrades Identify funding opportunities for future replacement/upgrading. Utilise Sport England/NGB guidance on choosing the correct surface: <a href="http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf">http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf</a> Look to utilise partnership between club and sports association to obtain funding towards AGP replacement/upgrading.			Sports Association Matlock Town Juniors FC FA Council	M	

<sup>14</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>15</sup>	Timescales	Aim
16	Cromford Meadows	Football	County Council/Club	Two adult pitches rated as good quality. Used by Cromford FC and Cromford Vets FC. Site has peak time spare capacity to accommodate additional three teams. Cromford FC leases pitches from Derbyshire County Council on behalf of owner, Key Estates.	Sustain pitch quality and maximise pitch usage.	County Council Key Estates Club FA	Key Centre	L	L	Protect Enhance Provide
		Rugby union		Two senior and two junior pitches, all rated as standard quality (M1/D1). One junior and one senior pitch have floodlighting. Floodlit senior pitch, used by Matlock Baileans RFC first and second team for matches and minimal training. Other senior pitch used by Matlock Baileans RFC third senior team and one youth u17s. Actual spare capacity of 0.5 sessions in the peak period. One junior pitch used by two junior teams (Sunday AM) and four mini teams (Sunday AM). Floodlit junior pitch mainly used for Matlock Baileans RFC training purposes. Ten hours a week of training has been accounted for as seven match equivalent sessions per week. This results in an overlap of five match equivalent sessions.	Look to improve quality of pitches through improved drainage and maintenance regimes to increase pitch capacity. Work with Matlock Baileans RFC to establish new lease agreement on Cromford Meadows site. Support club with aspirations to develop new ensuite changing facilities.	County Council Key Estates Club		H	S/M	
		Cricket		One square with eight wickets of standard quality. Currently used by Cromford Meadows CC and has one additional match equivalent session per week available at peak time. Also has capacity outside of peak time. Ancillary facilities at the site are assessed as being poor quality.	Look to improve pitch quality through improved maintenance regimes and maximise use should demand arise. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays. Explore options to improve the quality of changing facilities. Explore options of a new NTP on site as well as practice nets for clubs training needs.	County Council Club DCCB		H	S/M	
17	Darley Dale Cricket Club	Cricket	Club	One cricket square with 12 pitches, rated as good quality. Used by Darley Dale CC. Has no spare capacity at peak time; however, has capacity outside of peak time.	Sustain pitch quality to continue to accommodate demand. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Club DCCB	Local site	L	S	Protect
19	Dimple Recreation Ground	Football	District Council	Two adult and one youth 11v11 pitch, all of which are rated as standard. The adult pitch is used by a number of clubs but does have minimal peak time capacity. However, this is discounted to help protect quality. The youth pitch is used by Matlock Town Juniors FC. Again the minimal peak time capacity is discounted to help protect quality. Ancillary facilities have been identified as requiring improvement	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity.  Look to improve quality of ancillary facilities	Council FA Sports Clubs	Local site	M	S	Protect Enhance

<sup>15</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>16</sup>	Timescales	Aim
27	Highfields School (Lumsdale site)	Football	School	One youth 9v9 pitch rated as standard quality. No availability at peak time as unavailable for community use. Feasibility carried by the School to identify opportunities for the site to accommodate a full size 3G pitch and now exploring this further with Football Foundation	Look to improve pitch quality and explore opportunities to establish community use. Explore opportunities for funding to provide a full size 3G pitch to meet identified shortfall in the District. This site is considered the priority site within the District.	School FA Council	Key Centre	H	S	Protect Enhance Provide
		Rugby union		A junior pitch with no club use; however, site is used weekly by school as part of PE curriculum and for school matches. Pitch is rated as poor quality (M0/D0). Based on quality and school use likely to be overplayed and is recorded as at capacity. Also a lack of secure tenure.	Look to improve quality of pitch through improved drainage and maintenance regimes to increase pitch capacity. This will enable school to have better use of pitch for curricular and extracurricular activity. With improvement of quality, potential community use could be explored.	School RFU Council		M	S	
		Tennis		Six poor quality tarmac tennis courts with no floodlighting. Currently only used by school.	Look to improve court quality through improved maintenance regimes to accommodate curricular and extracurricular activities. Explore options of pay and play as currently free access to courts for local residents.	School LTA Council		M	S	
28	Highfields School (Starkholmes site)	Football	School	One youth 9v9 pitch rated as standard quality. No availability at peak time as unavailable for community use.	Look to improve quality of pitch through improved drainage and maintenance regimes to increase pitch capacity. This will enable school to have better use of pitch for curricular and extracurricular activity. With improvement of quality, potential community use could be explored.	School FA Council	Local site	M	S	Protect Enhance
		Rugby union		A junior pitch with no club use; however, site is used weekly by school as part of PE curriculum and for school matches. Pitch is rated as poor quality (M0/D0). Based on quality and school use likely to be overplayed and is recorded as at capacity. Also a lack of secure tenure.	Look to improve quality of pitch through improved drainage and maintenance regimes to increase pitch capacity. This will enable school to have better use of pitch for curricular and extracurricular activity. With improvement of quality, potential community use could be explored.	School RFU Council		M	S	
		Tennis		Six poor quality tarmac tennis courts with no floodlighting. Currently only used by school.	Look to improve court quality through improved maintenance regimes to accommodate curricular and extracurricular activities. Explore options of pay and play as currently free access to courts for local residents.	School LTA Council		M	S	
30	Hurst Farm	Football	District Council	Two adult pitches rated as poor quality. Pitch currently unused, however, spare capacity discounted due to poor quality.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Maximising use of pitches could then be explored.	Council FA	Local site	M	S	Protect Enhance
31	Jubilee Fields	Cricket	Parish Council	One square with five pitches of standard quality. Currently used by Elton CC and Darley Dale CC. Not enough capacity to accommodate an additional team.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise. Ensure community use agreement to ensure security of use for both clubs using site.	Parish Council DCCB Council	Local site	L	S	Protect Enhance
		Football		One adult football pitch rated as poor quality. Not currently in use.	Look to improve pitch quality through maintenance regimes. Should demand arise, look to maximise pitch use.	Parish Council FA		M	S	

<sup>16</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>16</sup>	Timescales	Aim
						Council				
32	Kniveton CE Primary School	Tennis	School	One standard quality macadam tennis court with no floodlighting.	Look to improve court quality through improved maintenance regimes to accommodate curricular and extracurricular use.	School LTA Council	Local site	M	S	Protect Enhance
35	Mappleton Village Social Club	Football	Parish Council	One adult pitch of poor quality. Used by Ashbourne Aztecs FC. Pitch is played to capacity due to poor quality.	Look to improve quality of pitch through improved maintenance regimes to increase pitch capacity.	Parish Council FA Council	Local site	M	S	Protect Enhance
36	Middleton Recreation Ground	Football	Parish Council	One adult pitch rated as standard quality. Used by Wirksworth Colts FC. Peak time capacity for one additional team to play.  Current interest from Wirksworth Town F.C in improving and using an adult pitch for 1st team and reserve team matches within the Ground area which is leased by Middleton Recreation Ground Trust to the Cricket Club. Joint interest in new Pavilion facility with Changing Rooms	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity and continue to meet current demand. Also explore opportunities to maximise pitch usage should demand arise. Support partners with accessing funding to help develop new pavilion and associated facilities	Parish Council FA Council Trust	Local site	S	L	Protect Enhance
		Cricket		One square with three pitches of good quality. Currently used by Wirksworth & Middleton CC and overplayed by nine match equivalent sessions.	Look so sustain quality of pitches and also extend playing area to enable 3 <sup>rd</sup> team to play at a higher level if promoted Explore potential of providing more pitches on square in order to meet demand.			M	S	
38	Parwich Cricket Club	Cricket	Parish Council	Site currently unused and no pitches marked on site.	Retain site as reserve provision. Should demand arise, look to bring pitch back into use.	Parish Council DCCB Council	Local site	H	L	Protect Enhance
		Tennis		Two macadam courts of standard quality with no floodlighting.	Look to improve court quality through improved maintenance regimes to encourage more use. Explore options of pay and play.			M	S	
40	Rowsley Recreation Ground	Football	Parish Council	One adult pitch of standard quality. Used by Rowsley 86 FC. Although spare capacity is available, there is no spare capacity at peak time.	Look to improve quality of pitches through improved maintenance to increase capacity.	Parish Council FA Council	Local site	M	S	Protect Enhance
48	Tansley Primary School	Tennis	School	Three poor quality, tarmac mini tennis courts with no floodlights.	Look to improve court quality through improved maintenance regimes to accommodate curricular and extracurricular use.	School LTA Council	Local site	M	S	Protect Enhance
50	The Fete Field	Football	Parish Council	One adult pitch and one youth 11v11 pitch. Both pitches are rated as standard. Youth pitch used by Tansley FC, four youth teams and played to capacity. Adult pitch used by Tansley FC, adult and u18 team and no peak time capacity. PIP visit undertaken by IOG on 17/05/18	Look to improve quality of pitches through improved drainage and maintenance regimes. Explore opportunities of lease agreement between parish council and club using site in order to increase funding options. Can then explore opportunities to improve ancillary facilities on site.	Parish Council FA Council	Local site	H	S	Protect Enhance



**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>17</sup>	Timescales	Aim
53	The Whitworth Centre	Football	Town Council	One adult, one youth 9v9 and one mini 5v5 pitch all of which are rated as poor quality. The adult pitch is currently used by Darley Dale Lions FC and played to capacity due to poor quality. The youth 9v9 pitch is currently used by Darley Dale Juniors FC youth teams. Peak time capacity to accommodate one team discounted due to poor quality. The mini pitch is currently unused, however, spare capacity discounted due to poor quality. No further play is recommended on any of the three pitches. Ancillary facilities at the site are identified as being poor quality.	Use pitch inspection re visit report on 14/06/18 from The FA Pitch Improvement Programme to identify priorities for site. The inspection recommends looking to improve quality of pitches through improved drainage works and maintenance regimes. This includes ensuring the correct equipment is being used. Improving pitch quality will support increased pitch capacity and allow for spare capacity to be utilised. Some health and safety issues also need addressing following the pitch inspection. Explore opportunities to improve ancillary facilities on site.	Town Council FA Council	Key Centre	H	S	Protect Enhance
		Bowls		One poor quality crown green bowling green.	Improve current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Town Council Council		M	S	
		Croquet		Three half sized croquet lawns rated as standard quality, used by Darley Dale Croquet Club. Currently operating above capacity but club does not plan to expand.	Improve current levels of maintenance to ensure lawn quality. Consider options to increase pay and play opportunities.	Town Council Council		M	S	
55	Tippin	Football	District Council	One youth 11v11 rated as poor standard. Used by Darley Dale JFC. Peak time capacity to accommodate one team. PIP visit undertaken by IOG on 26/04/18	Look to improve quality of pitches through improved drainage and maintenance regimes to increase pitch capacity and allow for spare capacity to be utilised. Support to access funding for improved drainage and goal post safety	Council FA	Local site	M	S	Protect Enhance
56	Winster Playing Fields	AGP	Community association	One small sized sand dressed AGP of poor quality. Does have floodlighting.	Identify funding opportunities for future replacement/upgrading. Utilise Sport England/NGB guidance on choosing the correct surface: <a href="http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf">http://www.sportengland.org/media/30651/Selecting-the-right-artificial-surface-Rev2-2010.pdf</a>	Community association FA Council	Local site	H	S	Protect Enhance
74	Stanton in the Peak CC	Cricket	Unknown	One square with seven pitches of poor quality. Currently used by Stanton in the Peak CC. Has spare capacity of 0.5 match equivalent sessions at peak time. Also has spare capacity outside of peak time.	Look to improve quality of pitches through improved maintenance regimes to increase pitch capacity. Also look to maximise spare capacity should demand arise.	DCCB Council	Local site	L	S	Protect Enhance
63	Hall Leys Park	Tennis	District Council	Three macadam courts of poor quality. Available for community use.	Look to improve quality of courts through improved maintenance regimes to encourage more use. Explore potential of providing floodlighting on courts. As part of continuing development of site, explore options of access to ancillary provision for court users.	Council LTA	Local site	M/H	S	Protect Enhance Provide
		Bowls		One standard quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Council		M	S	
67	Matlock Golf Club	Bowls	Club	One poor quality crown green bowling green.	Improve current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Club Council	Local site	M	S	Protect Enhance

<sup>17</sup> (L) -Low - less than £50k; (M) -Medium - £50k-£250k; (H) -High £250k and above.

**DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018**

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>17</sup>	Timescales	Aim
57	Wirksworth Leisure Centre/Anthony Gell School	Football	District Council/Trust	One adult pitch and two youth pitches (9v9 and 11v11). All rated as standard quality. Adult pitch used by Wirksworth Town FC. Minimal peak time capacity discounted to help protect quality. The 9v9 pitch is by Wirksworth Colts FC and no peak time capacity available. Youth 11v11 pitch is not currently used by the community; therefore, there is peak time capacity.	Look to improve quality of youth pitch through improved maintenance regimes to increase pitch capacity and allow for spare capacity to be utilised. Explore opportunities to maximise usage of 11v11 pitch. If current demand is not met by current pitches, look to reconfigure pitches to better meet demand of local area.	Trust Council FA	Hub	M	S	Protect Enhance
		AGP		One 100 x 60 pitch rated as good quality. Pitch was built in 2001 and refurbished in 2013. Also a smaller sized sand dressed AGP on site which is of standard quality. Full sized AGP available to the community from 17:00 until 22:30 Monday to Friday, 09:00 until 17:30 Saturday and 9:00 until 17:00 Sunday. Full sized AGP used by Derwent Hockey Club and Matlock Baileans Hockey Club for training and matches. The AGP is also heavily used for football midweek. Site also has a small sized 3G pitch which is well utilised for midweek football and has been resurfaced during early 2018	Ensure sinking fund is in place for long-term sustainability. Ensure security of tenure for users through a community use agreement. Encourage Anthony Gell School to undergo FA pitch testing on 3G to seek maximise usage for competitive football.	Trust EH FA Council		L	L	
		Tennis		Four tarmac tennis with no floodlighting which are considered to be adequate quality following refurbishment two years ago.	Look to improve quality of courts through improved maintenance regimes to encourage more use. Could also explore options of refurbishing courts to a more desirable surface such as macadam. Explore potential of providing floodlighting on courts.	Trust LTA Council		M/H	S/M	
58	Wirksworth Recreation Ground	Football	Town Council	One adult pitch rated as poor quality. Currently used by Wirksworth Ivanhoe FC and played to capacity due to poor quality. Club has a long term lease from Wirksworth Recreation Ground Trust. Ancillary facilities at the site are identified as being poor quality and would like to purchase new changing rooms (prefab) Some drainage work has been completed in 2017/2018 but requires further work	Look to improve quality of youth pitch through improved maintenance regimes to increase pitch capacity. Explore opportunities for funding in order to support club in improving ancillary facilities on site.	Trust Club FA Council	Key Centre	H	S	Protect Enhance
		Cricket		One square with eight pitches of good quality. Currently used by Wirksworth & Middleton CC. Has no spare capacity during peak time; however, does have spare capacity outside of peak time. Emerging plans to improve ancillary facilities including practice area and perimeter netting/fencing	Look so sustain quality of pitches in order to meet current demand. Look at potential opportunities to utilise spare capacity at non peak time to develop junior and girls cricket midweek and women's cricket on Sundays.	Town Council Club DCCB Council		L	S	
		Bowls		One standard quality crown green bowling green with floodlighting Exploring the potential to develop new clubhouse facility which includes having a design and cost plan drawn up	Improve current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities. Support club to access funding to develop pavilion building	Community association Council		M	S	



## DERBYSHIRE DALES PLAYING PITCH ACTION PLAN REFRESH – OCTOBER 2018

Site ID	Site	Sport	Management	Current status	Recommended actions	Partners	Hierarchy tier	Cost <sup>17</sup>	Timescales	Aim
78	Audley Court Retirement Complex (St Elphin's Park)	Tennis	Private	Two good quality macadam courts. No floodlighting. Used by Matlock and District Tennis Club.	Look to sustain court quality to accommodate both current and future demand of club.	Private company LTA	Local site	L	L	Protect Enhance
79	Brassington Recreation Ground	Football	Trust	One adult pitch rated as good quality. Brassington football team is the main user, playing in a summer league and training in the winter. Also used by the village school. Therefore, pitch does have spare capacity during football season.	Explore opportunities to maximise use of pitch and allow for usage during football season.	Trust FA Council	Local site	L	S	Protect
80	Matlock Bath Bowls Club	Bowls	District Council	One good quality crown green bowling green.	Sustain current levels of maintenance to ensure green quality. Consider options to increase pay and play opportunities.	Council	Local site	L	S	Protect
-	Land off Pinewood Road and Gritstone Road	Various	District Council	Proposed Housing site contains playing field land – Local Plan Reference: HC2U Currently in discussion	As there is no surplus of grass pitches in Derbyshire Dales seek adequate mitigation for any loss in line with Sport England Planning Policy.	Council Sport England	-	M	M	Provide

OFFICIAL-[SENSITIVE]

OFFICIAL-[SENSITIVE]